Company Name: _____

Address: _____

Job Name: _____

☐ Quote ☐ Order P.O.: _____

Ship Via: _____

Shipping Address: _____

_____

Liner Pattern: _____

☐ ZipStep(tm) with _____ benches (indicate quantity)

Note: step location and bench positions to be indicated on drawing along with top riser height.

POOL SHAPE

- ☐ Rectangle
- ☐ True Oval
- ☐ Grecian (see wrk sheet)
- ☐ Full-L (see wrk sheet)
- ☐ Lazy-L (see wrk sheet)
- ☐ Roman (see wrk sheet)
- ☐ Other (see drawing)

BEAD STYLE

- ☐ Standard
- ☐ "J" Hook
- ☐ Overlap
  - ☐ Horizontal O/L
  - ☐ Vertical O/L

O/L Size:

CORNERS

- ☐ Radius
- ☐ Diagonal
- ☐ 90°


Size:


STEPS / BENCHES

- ☐ None
- ☐ Fiberglass (straight)
- ☐ Fiberglass (curved)
- ☐ Vinyl (see worksheet)


CHECK LIST

- ☐ Length dims add up
- ☐ Width dims add up
- ☐ Depth given
- ☐ Wall height given
- ☐ Pool checked for square
- ☐ Pool shape selected
- ☐ Corner type selected
- ☐ Corner dim. given
- ☐ Liner pattern given
- ☐ Step/seam located
- ☐ Worksheet attached





Step/Seam Location



Qty	LIner Needs
_____	Blue Spray Glue
_____	Orange Spray Glue
_____	Wall Foam 1/8"
_____	Wall Foam 1/4"
_____	Liner Lock
_____	Pool Base
_____	HH66 Vinyl Adhesive
_____	Duct Tape
_____	1084 Skimmer Gasket
_____	1084 Skimmer Faceplate
_____	1085 Skimmer Gasket
_____	1085 Skimmer Faceplate
_____	1408 Return Gasket
_____	1408 Return Faceplate
_____	Maindrain Gasket
_____	Screws SS 1" (100ct)
_____	Screws SS 1 1/2" (100ct)
_____	1/4" Step Rods & Clips
_____	Tek Screws
_____	Liner Track (Top or Frnt)
_____	Light Ring Chrm 10 Hole
_____	Light Ring Gasket

Notes:

Qty	Deco-Trim	Color Match	Dark Blue	Light Blue	Gray	Tan
_____	Main Drain Lid & Ring	☐	☐	☐	☐	☐
_____	1084 Faceplate Cover	☐	☐	☐	☐	☐
_____	1085 Faceplate Cover	☐	☐	☐	☐	☐
_____	1408 F.P. Cover w/Eyeball	☐	☐	☐	☐	☐
_____	Light Ring Hayward Outer	☐	☐	☐	☐	☐


Nice People Making Nice Liners

kayden Manufacturing, Inc.

Kayden Manufacturing, Inc. P: (201) 880-9898
83A Burlews Court F: (201) 880-9897
Hackensack, NJ 07601 sales@kaydenmfg.com


INSIDE CORNER (LAZY-L)

☐ Radius ☐ Diagonal ☐ Mitered
Size:



ROMAN BOWS

☐ Deep-end ☐ Shallow-end



OUTSIDE CORNER (LAZY-L)

☐ Radius ☐ Diagonal ☐ Mitered
SIZE:


DRAW SHALLOW BREAK
AND DIMENSION AS NECESSARY

A to E	F to B	B to E	C to E	D to B

NOTE: Diagonals MUST be taken from hypothetical 90°

DIRECTION


☐ This Direction
☐ Opposite Direction




HOPPER

☐ 6 Sided
☐ 4 Sided

Irregular Grecian Worksheet





INSIDE CORNER


☐ Radius
☐ Diagonal
☐ 90°
SIZE:

kayden
Manufacturing, Inc.

Company Name: _____

Tag Name: _____


Kayden Manufacturing, Inc.
83A Burlews Court
Hackensack, NJ 07601
P: (201) 880-9898
F: (201) 880-9897
sales@kaydenmfg.com



BACK CORNERS

- ☐ Radius
- ☐ Diagonal
- ☐ 90°

Size:



IRREGULAR CORNER STEP INFO

A to B	A to F
A to C	A to G
A to D	A to H
A to E	A to I

NOTE: Measurements MUST be taken from hypothetical 90°

FRONT CORNER (LEFT)


- ☐ Diagonal _____
- ☐ 90°


FRONT CORNER (RIGHT)

- ☐ Diagonal _____
- ☐ 90°

RECESS

☐ Recess Size: _____ ☐ No Recess





ATTACHMENT

- ☐ Rod Pockets
- ☐ Flaps
- ☐ Bead
- ☐ None

MATERIAL

- ☐ Liner Bottom
- ☐ Base Film Color
- ☐ Liner Btm Tex'd

MANUFACTURED BY _____ MODEL _____ YEAR _____

kayden Manufacturing, Inc.

Company Name: _____


Tag Name: _____

Kayden Manufacturing, Inc.
83A Burlews Court
Hackensack, NJ 07601
P: (201) 880-9898
F: (201) 880-9897
sales@kaydenmfg.com

	A	B		A	B		A	B		A	B
1			21			41			61		
2			22			42			62		
3			23			43			63		
4			24			44			64		
5			25			45			65		
6			26			46			66		
7			27			47			67		
8			28			48			68		
9			29			49			69		
10			30			50			70		
11			31			51			71		
12			32			52			72		
13			33			53			73		
14			34			54			74		
15			35			55			75		
16			36			56			76		
17			37			57			77		
18			38			58			78		
19			39			59			79		
20			40			60			80		

Point Setup Example

From Inside of Pool: A Left, B Right



A to B

C to D	E to F	G to H

___to___ ___to___ ___to___

	A	B
C		
D		
E		
F		
G		
H		

Space points approx. 3' apart on radii 8' or greater. Tighter radii require more points. At least 3 points are required for any radius section.
Draw bottom contours, A-B stake location, step location, requested wall seam location, and other important information below.

String Line 1 String Point #s		String Line 2 String Point #s	
Distance to Slope		Distance to Slope	
Depth at Slope		Depth at Slope	
String Line 3 String Point #s		String Line 4 String Point #s	
Distance to Slope		Distance to Slope	
Depth at Slope		Depth at Slope	
String Line 5 String Point #s		String Line 6 String Point #s	
Distance to Slope		Distance to Slope	
Depth at Slope		Depth at Slope	

kayden Manufacturing, Inc.

Dealer Name: _____

Tag Name: _____

Kayden Manufacturing, Inc. P: (201) 880-9898
83A Burlews Court F: (201) 880-9897
Hackensack, NJ 07601 sales@kaydenmfg.com