PRIMARY SAFETY COVER ORDER FORM

Company Name: _____

Address: _____

Job Name: _____

☐ Quote ☐ Order P.O.: _____

Ship Via: _____

Shipping Address: _____

_____

Fabric Options:

☐ Standard Mesh ☐ Solid with Drain

☐ Sunblocker Mesh ☐ Solid with Pump

Color: _____

Decking: _____

Hardware Upgrade Options:

☐ Stainless Steel ☐ Flanges/Collars

Coping Details:

☐ Must Cover Coping Coping Size: _____

SKETCH POOL

ALL FEATURES MUST BE BOTH LOCATED AND DIMENSIONED

☐ New Cover:

- ☐ 3x3 Spacing
- ☐ 5x5 Spacing

☐ Remake:

- ☐ No New Anchors
- ☐ No New Springs

Notes / Other Design Considerations: _____

kayden Manufacturing, Inc.

Kayden Manufacturing, Inc.
18B E 5th St
Paterson, NJ 07524

P: (201) 880-9898
F: (201) 880-9897
CS@kaydenmfg.com

kayden
Manufacturing, Inc.


Company Name: _____

Job Name: _____


Shapes Safety Cover Order Form

Kayden Manufacturing, Inc.
18B E 5th St
Paterson, NJ 07524


Grecian




Full-L




NOTE: Diagonals MUST be taken from hypothetical 90°



Roman



Lazy-L



Company Name: _____ Job Name: _____

AB Safety Cover Order Form

A to B Distance	ft.	in.

Obstruction Type	Points
	___to___
	___to___
	___to___
	___to___
	___to___

Notes:

Include pool shape, A-B stake location, steps, and all obstructions

	A ft.	A in.	B ft.	B in.
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				

	A ft.	A in.	B ft.	B in.
22				
23				
24				
25				
26				
27				
28				
29				
30				
31				
32				
33				
34				
35				
36				
37				
38				
39				
40				
41				
42				


	A ft.	A in.	B ft.	B in.
43				
44				
45				
46				
47				
48				
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				
61				
62				
63				

kayden Manufacturing, Inc.

Cross / Check Dimensions	ft.	in.
Pt. ___ to ___		
Pt. ___ to ___		
Pt. ___ to ___		
Pt. ___ to ___		

Point Setup Example

From Inside of Pool: A Left, B Right
2/3 Pool Length



Kayden Manufacturing, Inc.
18B E 5th St
Paterson, NJ 07524

P: (201) 880-9898
F: (201) 880-9897
CS@kayden*mfg*.com

Space points approx. 3' apart on radii 8' or greater. Tighter radii require more points. At least 3 points are required for any radius section.